



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

NYMPHIS Veteribus ET IV ioribus MANSVETAE CLAVDIAE VRBanae, nuncupavit Hoc Lucius A IVS; and hereby the Defects in the Stone seem to be supplied with a right Number of Letters in each Vacuity, and this I the rather apprehend to be right, because 'tis now a Year since I communicated the same to an ingenious Gentleman, Dr. *Cay* of *New-Castle* (who was the Person that courteously sent me the Copies of both) and I hear not it is disapproved by any Critick upon the Place.

VII. *Of the Manner of the Generation of Eels.* By Mr. Benjamin Allen.

THE Manner of the Generation of Eels, as familiar a Subject as it is, has been a Question unresolv'd ever since *Aristotle*, and reputed Spontaneous: And the Reason of the Difficulty of discovering it, is the different way of Generation, and that they breed in *February*, a time when few are taken but what are preserved in Trunks or Ponds, where they breed not. This I examin'd Two Years since, in some taken at a Mill, in which Holes they breed, especially near Gravelly Shallows, and found one with Egg, another with Six young ones in the great Intestine, which I call the Strait Bow-el, that descends immediately from the Pylorus until the Winding begins; they were fastned to a very small Placenta each, which was fixt to the Intestine, the Mese-raicks at that time were very turgid: The Eggs were on the Outside of the Intestine. It is certainly Viviparous, and feeds not, at least Gross, in the Winter, during all which they lye still till they have discharg'd their Young.

The

The Parts distinguishing the Sex are discoverable, those of the Male affix to the Extremity of the Kidney, the Females had a slender Gland transversly lying near the Bowel; but of this I dare not say much till fresh Subjects allow further Examination. Neither is this the only Fish of this Kind; for I find in *Tho. Bartholine's Sixteenth History of his Second Century of Anatom. Histor.* 1654. a Xiphia with Two Young form'd in the *Intestinum Rectum*; which too has no Ribbs as well as the Eele. In Salt-water Eels, I have not found the like, though searcht for; because, I am of Opinion, they do not breed, but are of the same with the Fresh-water ones, since such multitudes of Fresh-water Eels go down to Sea, and cannot return, yet are never taken at Sea, among the many brought hither; and there are *Vestigia* of their Beards in the Fresh-water ones.

I shall acquaint you with one thing more observable at our Sea-Coast, with Relation to Mr. *Pascall's* Observations; that People that are sick are observ'd to change at the Turns of the Tide at the Place; so as this Notion has obtain'd among all the Maritime Towns: Up-Land, with us, it does not constantly hold, which may be accounted for, (if the Moon's Effect be Fluidity, as in Frosts is seen, a New-Moon ever Thawing, and is agreeable enough to a Neighbouring Body of so quick a Motion) Upon dry Land the Moon may not have the same Force, For I observe in Capt. *James's* Voyage at *Charleton-Island*, the fix'dness of the Winter Frozen Air, occasioned the difference of Tides at the New and Full to be scarce greater than the common or neap ones; whereas Spring-Tides advanc't with the Summer. I have observ'd Agues, Tertian I mean, to come when the Moon has come to an Angle, as in One or Two exactly when the Moon was Setting, and the succeeding
Fits

Fits when she culminated, the Third Fit at a Rising Moon, and so on. Deaths I have kept exact Account of, but can find no one Observation hold true, some at one Time of the Tide, some at another.

VIII. *Account of a Book, Philippi Cluverii Introductio in universam Geographiam, tam Veterem quam Novam Tabulis Geographicis XLVI. ac Notis olim Ornata à Joanne Bunone; jam vero Locupletata Additamentis & Annotationibus Joh. Frid. Hekelij & Joh. Reiskij. in Quarto. Amst. Typis Joannis Wolters. Londini Prostant apud Sam. Smith & Benj Walford, in Cœmeterio D. Pauli. 1697.*

P*hilippus Cluverius*, this Famous Geographer was born at *Dantzic*, in the Year 1580. where his Father, being Master of the Mint, took great Care to educate him in the best manner; at Fifteen Years of Age he sent him into *Pologn*; afterwards to *Leyden* in order to study the Civil Law, for which he had no Taste nor the least Inclination, all his Passion running wholly upon Geographical Studies, being a Master in the Art of Designing and Surveying. *Joseph Scaliger*, then a Professor in that University, seeing his Natural Genius bent upon *Geography*, advised him to pursue it, and make it his chief Business; whereupon he resolv'd, first to visit *Lipsius*, and view all the *Netherlands*; after that he spent Two Years in *Hungary* and *Bohemia*, and view'd all *Germany*, *Italy*, *Sicily*, *France* and *England*,
with